

frost-proof

FINISHING COMPOUND for outdoor application (KÜLTÉRI GLETT) for thicknesses from 0 to 3 mm

Ready-mixed, white cement base dry-set mortar for smoothing, frost-proof, for exterior and interior use.

Where to use Perfect for smoothing out concrete walls, and cement-base plasters. The concrete or plastered substrate must be at least 14 days old. Moisture content should be 3-4 m%, strength rating should be at least Hvh 10. Use a primer for concrete substrates in highly absorbent areas. Use the product to obtain a smooth and white surface free of cracks.

Application Remove all loose and disintegrating particles, dust and contamination, and dampen the surface slightly before use. Slowly pour 25 kg of plaster into a bucket containing 9 litres of clean water at room temperature (for 1 kg plaster approximately 3.5 dl of water is required). After a few minutes of slackening mix the material with a low speed electric mixer to obtain a homogenous, lump-free and pulpous mix. If only a small quantity is required, mix the material with a plastering trowel or a putty knife, maintaining the same water/plaster ratio. When repairing rough surfaces and cracks, fix the larger cracks and the worst areas first, then smooth the entire surface. Not recommended for use in temperatures below +5°C. Cover the plastered surface to protect it from the sun and strong winds. If applicable, night frost should also be taken into consideration. If already setting, do not add water to the mixture and do not use it to make another mix. No foreign material should be added.

Technical data

Date of manufacture:	see label on the bag
Consumption:	approx. 1.2 kg/m ² /mm
Thickness:	0-3 mm one coat
Mixing ratio:	350 ml water/1 kg
Pot life:	100-120 minutes
MSZ EN:	998-1:2003
Declaration of performance number:	KtG-001/2013
Tariff heading:	32149000

Packaging Available in 25 kg paper bags, 48 bags/pallet
in 5 kg paper bags, 160 bags/pallet

Storage In a covered place, in dry conditions, for approximately 9 months, in unopened bags

Manufacturer Széria-Trans Kft., Karcag
Distributor Széria-Trans Kereskedelmi és Szolgáltató Kft.
H-1116 Budapest, Adony u. 7, Phone: +36-1-466-7758
H-5300 Karcag, Tilalmasi út 1, Phone: +36-59-311-333

This data sheet was prepared to the best of our understanding. The data contained therein reflect our latest technical knowledge and observations. However, we shall not be held liable for the statutory provision of contents. Users shall honour any patent rights, and shall comply with the applicable laws and regulations at their own responsibility.